

<http://zoobank.org/urn:lsid:zoobank.org:pub:5036B5E4-80BF-4E45-AFF2-FBA5B4FDEBD4>

## Preliminary investigations on some *Pleurota* populations of East Turkey (*Lepidoptera*, *Oecophoridae*)

Muhabbet Kemal<sup>1</sup> Sibel Kızıldağ Ahmet Ömer Koçak

**Abstract:** Preliminary investigations on some *Pleurota* populations of East Turkey (*Lepidoptera*, *Oecophoridae*). *Cesa News* 157: 1-4, 1 fig. 1 table.

In this paper, several populations of *Pleurota* species of East Turkey are evaluated and discussed here from molecular standpoint.

**Keywords:** *Pleurota*, *Oecophoridae*, *Lepidoptera*, Turkey, mtCOI.

Within the Cesa project, entitled “DNA Barcoding of the Lepidoptera of Cesa Collection (DBLCC)”<sup>2</sup>, the first, limited attempt to some populations of the genus *Pleurota* Hbn. (*Oecophoridae*) in East Turkey has been made by the authors. Recently, the authors published various papers concerning this program (Kemal, Kızıldağ & Koçak, 2018a-d; Kemal, et al., 2018). It is obvious that external and genital morphology can not be enough to distinguish species in this genus. Even the printed resources on the genital morphology are extremely limited (Back, 1973; Huemer & Luquet, 1995; Kemal & Koçak, 2017a-c; Lvovsky, 1992, [1994], 2006, 2007). Similarly, the molecular data on the *Pleurota* species are very poor in the GenBank<sup>3</sup>. These limited conditions

<sup>1</sup> Dr Muhabbet Kemal & Dr Sibel Kızıldağ - Van Yüzüncü Yıl University, Faculty of Science, Dept. of Biology, Campus, Van / Turkey.  
e-mails: [muhabbet\\_kemal@yahoo.com.tr](mailto:muhabbet_kemal@yahoo.com.tr) - [sibelkizildag@vyu.edu.tr](mailto:sibelkizildag@vyu.edu.tr)

Prof. em. Dr Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Faculty of Science, Dept. of Biology. e-mail: [cesa\\_tr@yahoo.com.tr](mailto:cesa_tr@yahoo.com.tr)

<sup>2</sup> <https://www.researchgate.net/project/DNA-Barcoding-of-the-Lepidoptera-of-Cesa-Collection-DBLCC>

<sup>3</sup> <https://www.ncbi.nlm.nih.gov/home/about/policies/> "Databases of molecular data on the NCBI Web site include such examples as nucleotide sequences (GenBank), protein sequences, macromolecular structures, molecular variation, gene expression, and mapping data. They are designed to provide and encourage access within the scientific community to sources of current and comprehensive information. Therefore, NCBI itself places no restrictions on the use or distribution of the data contained therein. Nor do we accept data when the submitter has requested restrictions on reuse or redistribution. However, some submitters of the original data (or the country of origin of such data) may claim patent, copyright, or other intellectual property rights in all or a portion of the data (that has been submitted). NCBI is not in a position to assess the validity of such claims and since there is no transfer of rights from submitters to

forced us to study first on various problematic populations of the genus in Turkey. The first evaluations in the present and coming studies will be on the material preserved in the Cesa Collection<sup>4</sup> (Table 1).

In the present paper, some collected specimens from the Provinces Malatya, Siirt, Bitlis and Diyarbakır were first evaluated morphologically. Perhaps, the specimen, identified as *Pleurota eximia* Lederer, is the easiest one. However, the genital morphology couldnot be sufficient in identification for other specimens. The molecular investigations have revealed that the rest of the specimens may belong to more than 3 different species (Fig.1), but their specific delimitations cannot currently be possible, as the present material under examination are insufficient in number for this purpose. It is also interesting that all the populations from Turkey under examination are gathered in a separate clade. This clade is currently in a sister position with *Pleurota aristella*. In the subclade, Pleu002 and Pleu004 appear as being two distinct species. The phylogenetic position of Turkish *Pleurota eximia* is defined herein for the first time. The specimens Pleu010-Pleu006 in the subclade may belong to at least two distinct species, even if their exact boundaries havenot yet been determined (Fig.1).

Taxonomical and molecular investigations on the *Pleurota* of Turkey will continue to increase in the coming years.

Finally, we have not received any response to the recent contradictory approaches concerning the usage of “publicly available” data of the Bold Systems (See previous paper: Kemal, Kızıldağ & Koçak, 2018d). This situation is here interpreted as our explains and approaches have been understood as being correct, and the existing problems wholly resolved.


**Table 1** - Information for specimens mentioned in this study (see also Fig. 1)

| Taxa                   | Collecting data  | Dissections | Publication for genitalia         | Process ID (Fasta) | Depository |
|------------------------|--|-------------|-----------------------------------|--------------------|------------|
| <i>Pleurota</i> sp.    | Bitlis Pr Adilcevaz Süphan Mt, Aygır 1960m, 10.vi.2015 | GP2618♀     | Kemal & Koçak, 2017b <sup>5</sup> | Pleu010            | Cesa       |
| <i>Pleurota</i> sp.    | Malatya Pr Beydağı NP 1200m, 25.iv.2015                | GP2623♂     |                                   | Pleu011            | Cesa       |
| <i>Pleurota</i> sp.    | Diyarbakır Pr Hazro, Uzunargıt 953m, 16.v.2015         | GP2207♂     |                                   | Pleu009            | Cesa       |
| <i>Pleurota</i> sp. ♂  | Bitlis Pr Adilcevaz Süphan Mt, Aygır 1960m, 10.vi.2015 |             |                                   | Pleu001            | Cesa       |
| <i>Pleurota</i> sp.    | Diyarbakır Pr Hazro, Dadaş 990m, 16.v.2015             | GP2206♂     |                                   | Pleu008            | Cesa       |
| <i>Pleurota</i> sp.    | Diyarbakır Pr Hazro, Dadaş 990m, 16.v.2015             | GP2205♂     |                                   | Pleu007            | Cesa       |
| <i>Pleurota</i> sp.    | Siirt Pr Şirvan, Bacavan 1560m, 29.v.2013              | GP2145♂     |                                   | Pleu006            | Cesa       |
| <i>Pleurota eximia</i> | Siirt Pr Şirvan, Akgeçit 1210m, 3.vii.2013             | GP2095♂     |                                   | Pleu005            | Cesa       |
| <i>Pleurota</i> sp. ♀  | Bitlis Pr Adilcevaz Süphan Mt, Aygır 1960m, 10.vi.2015 |             |                                   | Pleu002            | Cesa       |
| <i>Pleurota</i> sp.    | Siirt Pr Şirvan, Maden kvş. 960m, 29.vi.2013           | GP2077♂     |                                   | Pleu004            | Cesa       |

NCBI, NCBI has no rights to transfer to a third party. Therefore, NCBI cannot provide comment or unrestricted permission concerning the use, copying, or distribution of the information contained in the molecular databases."

<sup>4</sup> <http://grbio.org/cool/eaaz-xyfc> <http://grbio.org/cool/d36c-mrxe>

<sup>5</sup> This genitalia and identification were made by the authors, before obtaining molecular data. Identification as *pyropella* needs now confirmation.



**Fig. 1.** Phylogenetic tree of *Pleurota* populations from Turkey based on COI. The evolutionary history was inferred using the Neighbor-Joining method (Saitou & Nei, 1987). Populations of *Aplota palpella* was used as the out-group. The evolutionary distances were computed using the p-distance method (Nei & Kumar, 2000). The analysis involved 17 nucleotide sequences. There were a total of 658 positions in the final dataset. Evolutionary analyses were conducted in MEGA7 (Kumar, Stecher & Tamura, 2016). Numbers indicate reliabilities (%) based on 1,000 bootstrap replicates.

## References

- Back, H.E.**, 1973, *Untersuchungen über die Systematik und Zoogeographie der Gattung Pleurota* (Lepidoptera, Oecophoridae). 413 pp., figs. Saarbrücken.
- GenBank**: <https://www.ncbi.nlm.nih.gov/> [last access, on 18.iii.2018]
- Huemer, P. & G.C. Luquet**, 1995, Beitrag zur Kenntnis der Gattung *Pleurota* in Frankreich (Lepidoptera, Oecophoridae). *Alexandria* 19 (1): 55-63, figs.
- Kemal, M. & A.Ö. Koçak**, 2017a, Description of a new species of the genus *Pleurota* Hbn. from East Turkey (Lepidoptera, Oecophoridae). *Misc. Pap.* 165: 1-3, 3 figs.
- Kemal, M. & A.Ö. Koçak**, 2017b, Annotated list of the moths of Suphan Volcano (Bitlis Province, East Turkey) (Lepidoptera). *Priamus* 15 (2): 82-123, 72 figs.
- Kemal, M. & A.Ö. Koçak**, 2017c, On the Microlepidoptera of Bahçesaray district (Van Province, East Turkey). *Priamus* 15 (3): 125-164, 105 figs.
- Kemal, M., Kızıldağ, S. & A.Ö. Koçak**, 2018a, Preliminary list of the Lepidoptera of Posof district (Ardahan Province, NE Turkey). *Cesa News* 156: 1-11, 8 figs.
- Kemal, M., Kızıldağ, S. & A.Ö. Koçak**, 2018b, Preliminary list of the Lepidoptera of Zerne, with some faunistic, taxonomic, and molecular remarks (East Turkey, Van Province). *Misc. Pap.* 171: 1-16, 41 figs.
- Kemal, M., Kızıldağ, S. & A.Ö. Koçak**, 2018c, Some molecular phylogenetic and taxonomic remarks on the *Gnophini* of Turkey, with faunistic notes (Lepidoptera, Geometridae, Ennominae). *Misc. Pap.* 172: 1-15, 1 fig.
- Kemal, M., Kızıldağ, S. & A.Ö. Koçak**, 2018d, Distributional and synonymic catalogue of the Geometridae fauna of Van Lake Basin in East Turkey (Lepidoptera). *Priamus* 16 (3): 65-117, 6 figs., 42 maps.
- Kemal, M., Yıldız, I., Kızıldağ, S., Uçak, H. & A.Ö. Koçak**, 2018, Taxonomic and molecular evaluation of *Apochima* Agassiz in East Turkey, with a description of a new genus (Lepidoptera, Geometridae, Ennominae). *Misc. Pap.* 169: 1-13, 1 Table, 27 figs., 1 map.
- Kumar S., Stecher G. & K. Tamura**, 2016, MEGA7: Molecular Evolutionary Genetics Analysis version 7.0 for bigger datasets. *Molecular Biology and Evolution* 33: 1870-1874.
- Lvovsky, A.L.**, 1992, New species and subspecies of Oecophorid moths of the genus *Pleurota* Hübner, 1825 (Lepidoptera, Oecophoridae). *Ent. Obozr.* 71 (3): 630-639, figs. [engl. transl. *Ent. rev.* 72 (6): 67-76, 14 figs., 1993]
- Lvovsky, A.L.**, [1994], A revision of broad-winged moths of the subfamily *Pleurotinae* (Lepidoptera, Oecophoridae) from Russia and neighboring countries. *Trudy Zool. Inst. Ross. Akad. Nauk* 248 (1992): 39-75, figs.
- Lvovsky, A.L.**, 2006, Check-list of the broad-winged and flat moths (Lepidoptera, Oecophoridae, Chimabachidae, Amphibatidae, Depressariidae) of the fauna of Russia and adjacent countries. *Trudy Zool. Inst. Ross. Akad. Nauk* 307: 1-118.
- Lvovsky, A.L.**, 2007, Two new species of the genus *Pleurota* Hübner, 1825 from Middle Asia (Lepidoptera, Oecophoridae). *Zoosyst. rossica* 16 (1): 131-132, figs.
- Nei M. & S. Kumar**, 2000, *Molecular Evolution and Phylogenetics*. Oxford University Press, New York.
- Saitou N. & M. Nei**, 1987, The neighbor-joining method: A new method for reconstructing phylogenetic trees. *Molecular Biology and Evolution* 4: 406-425.

**Cesa News**

Cesa News is a peer reviewed online serial of the Centre for Entomological Studies Ankara (Cesa), established in 2008. It appears at irregular intervals as PDF format and includes original articles of the research workers of the Centre, regarding on various subjects on Entomology. The publication language is English or Turkish. Cesa News is archived online at "Internet Archive" since 2011, in accordance with the publication rules of the ICZN.

Cesa News is an open-access serial, distributed under the terms of the "Creative Commons Attribution License", which permits free use, and distribution in any medium, provided the original author(s) and source are credited.

## Centre for Entomological Studies Ankara



(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/> - Digital Library of the Cesa: <https://archive.org/details/@cesa>

**Scientific Serials:** Priamus & Priamus Supplement (print and online versions) (ISSN 1015-8243)<sup>6</sup>, Miscellaneous Papers (print and online versions) (ISSN 1015-8235)<sup>7</sup>, Memoirs (print and online versions) (ISSN-8227)<sup>8</sup>, DVD Films<sup>9</sup>, Iconographia Insectorum<sup>10</sup> (online), Cesa Publications on African Lepidoptera (online)<sup>11</sup>, Cesa News (online)<sup>12</sup>, Cesa Books (online)<sup>13</sup>

**Owners / Sahipleri - Editors / Yayıncılar:** Prof. em. Dr Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Van, Turkey), Asst. Prof. Dr Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Van, Turkey).

**Editorial Board of all Scientific Serials of the CESA / Bütün Bilimsel Yayınların Yayın Kurulu:** Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey).

**Chief referees of all Scientific Serials of the CESA:** Prof. em. Dr Ahmet Ömer Koçak & Asst. Prof. Dr Muhabbet Kemal Koçak: Insecta, taxonomy, nomenclature, fauna, ecology, catalogues, checklists of the Old World.

**Expert referees according to the subject areas:** Dr Peter Huemer (Austria): Gelechiidae, and some Microlepidoptera groups in Palaearctic (Lepidoptera). Dr J. B. Heppner (U.S.A.): Microlepidoptera of Nearctic and Neotropical. Dr G. Baldizzzone (Italy): Coleophoridae (Lepidoptera). Dr V. Korneyev (Ukraine): Tephritidae, Pyrgotidae, Ulidiidae (Diptera). Prof. Dr Y.G.Verves (Ukraine): Sarcophagidae (Diptera). Dr Daniel Burckhardt (Switzerland): Psyllidae (Homoptera). Prof. Dr E. Heiss (Austria): Hemiptera. Dr R. Ehrmann (Germany): Mantodea. Prof. Dr Mustafa Ünal (Bolu, Turkey): Orthoptera. Prof. Dr Hüseyin Özdikmen (Turkey): Coleoptera. Prof. Dr Suat Kıyak (Turkey): Hemiptera, Hymenoptera (Cynipidae).

**Plant taxonomy, flora and vegetation:** Assoc. Prof. Dr Murat Ünal, Asst. Prof. Dr Mesut Pınar, (Yüzüncü Yıl University, Van, Turkey).

**Molecular studies:** Dr Sibel Kızıldağ (Van Yüzüncü Yıl University, Van, Turkey).

**Editorial policy:** The submitted manuscript is evaluated by the Chief Editor and Referee. In case of need, the manuscript is sent to expert referees according to the subject areas.

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. em. Dr Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: [cesa\\_tr@yahoo.com.tr](mailto:cesa_tr@yahoo.com.tr)

All the serials of the Cesa are archived regularly by the Internet Archive  
(300 Funston Ave., San Francisco, CA 94118, U.S.A.),  
in accordance with the rules of the International Codes of Zoological Nomenclature (ICZN)  
<https://archive.org/>

also recorded regularly by the Zoological Record,  
Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NQ, United Kingdom  
<https://clarivate.com/>

<sup>6</sup> <http://www.cesa-tr.org/Priamus.htm> <http://www.cesa-tr.org/Pri.htm>

<sup>7</sup> <http://www.cesa-tr.org/Miscell.htm>

<sup>8</sup> <http://www.cesa-tr.org/Memoirs.htm>

<sup>9</sup> <http://www.cesa-tr.org/CDF.htm>

<sup>10</sup> <http://www.cesa-tr.org/Icon.htm>

<sup>11</sup> <http://www.cesa-tr.org/CPAL.htm>

<sup>12</sup> <http://www.cesa-tr.org/Cesanews.htm>

<sup>13</sup> <http://www.cesa-tr.org/Cesabooks.htm>